

10/622,874

Page 4

Amendments to the Drawings

The attached drawing sheet includes changes to Fig. 10B.

The attached sheet, which includes Figs. 10B and 11, replaces the sheet designated as "Replacement Sheet 6" in Amendment A, filed September 3, 2004.

In Fig. 10B, angle C (reference numeral 112) has been moved to a position that is the complement angle of ray 111 where it strikes internal reflection face 108. Angle D (reference numeral 113) has been moved to correspond with a lead line for clarity. The dotted line which forms angle E has been extended in both directions for clarity. One occurrence of reference numeral 111 located at the top of the figure has been moved slightly to the left to be more clearly aligned with the lowest ray 111.

REMARKS/ARGUMENTS

On September 3, 2004, Applicant filed an amendment in response to an office action entered in this matter. On January 4, 2005, a Notice of Allowance was mailed to Applicant. Applicant thanks the Examiner for his consideration of the September 3 amendment and the allowance of claims 1 - 24.

However, Applicant has become aware of some additional informalities that should be corrected for clarification via this amendment which is submitted pursuant to Rule 312. The amendments set forth herein are in addition to, and do not replace, the amendments set forth in the September 3, 2004 amendment.

Should there remain any outstanding issues that require adverse action, it is respectfully requested that the Examiner telephone the undersigned at 818-715-7025 so that such issues may be resolved as expeditiously as possible.

Specifications

Paragraphs [0074] and [0075] have been amended to reflect that the lowest ray 111 is reflected by an amount that is the complement to incidence angle C 112. This relationship is apparent from the ray 111 as is shown in Fig. 10B. Also, the comma [,] was removed from line 3 of paragraph [0075] in order to correct a typographical error. Paragraph [0085] was amended to add a reference to FIG. 13a to clarify that focal point 156 appears in FIG. 13a and not in FIG. 13.

Drawings

In Fig. 10B, angle C 112 was moved to the opposite side of the vertical ray line. Angle D113 was moved to correspond with a

10/622,874
Page 6


lead line for clarity. These changes correspond to the changes described above in paragraphs [0074] and [0075], and are merely a matter of geometry. Additionally, the dotted line which forms the angle E was extended in both directions for clarity. The occurrence of reference numeral 111 located at the top of the figure was moved slightly to the left to be more clearly aligned with the lowest ray 111 for clarity.

CONCLUSION

For all the reasons advanced above, Applicant requests that this Amendment under Rule 312 be entered and that action is earnestly solicited.

Respectfully submitted,

SINSHEIMER, SCHIEBELHUT & BAGGETT


Thomas F. Lebens
Reg. No. 38,221

Address all correspondence to:
SINSHEIMER, SCHIEBELHUT & BAGGETT
1010 Peach Street
Post Office Box 31
San Luis Obispo ,CA 93406

Direct telephone inquiries to:
Thomas F. Lebens
(805) 781-2865